

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
27A: Dickinson-----	90	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Favorable	Limitation: too sandy	Favorable
27B: Dickinson-----	90	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: too sandy	Favorable
35: Blue Earth-----	95	Moderate: seepage	Severe: excess humus piping ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
39A: Wadena-----	90	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Favorable	Limitation: too sandy	Favorable
39B: Wadena-----	90	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: too sandy	Favorable
85: Calco-----	85	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
86: Canisteo-----	85	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
94C: Terril-----	85	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
102B: Clarion-----	85	Moderate: seepage slope	Severe: piping	Moderate: slow refill deep to water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
112: Harps-----	85	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: rooting depth wetness	Limitation: wetness	Limitation: rooting depth wetness
113: Webster-----	85	Moderate: seepage	Severe: piping wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
118: Crippin-----	85	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily
128C2: Grogan-----	85	Severe: seepage slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
130: Nicollet-----	85	Moderate: seepage	Moderate: wetness	Moderate: slow refill deep to water	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
134: Okoboji-----	85	Slight	Severe: ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
156: Fairhaven-----	85	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Favorable	Limitation: erodes easily too sandy	Limitation: erodes easily
211: Lura-----	90	Slight	Severe: excess humus hard to pack ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: percs slowly slow intake ponding	Limitation: percs slowly ponding	Limitation: percs slowly wetness
227: Lemond-----	85	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Limitation: wetness
247: Linder-----	85	Severe: seepage	Severe: seepage piping	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Limitation: rooting depth
255: Mayer-----	85	Severe: seepage	Severe: seepage wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Limitation: wetness
282: Hanska-----	85	Severe: seepage	Severe: seepage wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Limitation: wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
318: Mayer-----	85	Severe: seepage	Severe: seepage ponding	Severe: cutbanks cave	Limitation: frost action ponding cutbanks cave	Limitation: ponding	Limitation: too sandy ponding	Limitation: wetness
327A: Dickman-----	90	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: soil blowing droughty	Limitation: too sandy soil blowing	Limitation: droughty
327B: Dickman-----	85	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: too sandy soil blowing	Limitation: droughty
327C: Dickman-----	85	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
336: Delft-----	85	Moderate: seepage	Severe: thin layer wetness	Severe: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
386: Okoboji-----	85	Slight	Severe: ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
392: Biscay-----	85	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Limitation: wetness
423: Seaforth-----	85	Moderate: seepage	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
446: Normania-----	85	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
463A: Minneiska-----	85	Severe: seepage	Severe: piping	Severe: cutbanks cave	Limitation: flooding cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Favorable

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
463B: Minneiska-----	85	Severe: seepage	Severe: piping	Severe: cutbanks cave	Limitation: cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Favorable
519: Klossner-----	85	Severe: seepage	Severe: piping ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: erodes easily soil blowing ponding	Limitation: erodes easily wetness
525: Muskego-----	90	Severe: seepage	Severe: excess humus ponding	Severe: slow refill	Limitation: percs slowly ponding	Limitation: percs slowly soil blowing ponding	Limitation: percs slowly soil blowing ponding	Limitation: percs slowly wetness
539: Klossner-----	90	Severe: seepage	Severe: excess humus ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: erodes easily soil blowing ponding	Limitation: erodes easily wetness
574: Du Page-----	85	Severe: seepage	Moderate: piping thin layer	Moderate: slow refill deep to water	Limitation: deep to water	Limitation: flooding	Favorable	Favorable
575: Nishna-----	85	Slight	Severe: wetness	Severe: slow refill	Limitation: flooding percs slowly	Limitation: percs slowly slow intake wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
595F: Swanlake-----	85	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
610: Calco-----	90	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
770C2: Ves-----	60	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Terril-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
810: Coriff-----	50	Severe: seepage	Severe: piping wetness	Severe: cutbanks cave	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Fieldon-----	45	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness soil blowing	Limitation: too sandy wetness soil blowing	Limitation: wetness
817: Canisteo-----	60	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
Seaforth-----	30	Moderate: seepage	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
875C: Hawick-----	60	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope too sandy	Limitation: slope droughty
887B: Clarion-----	70	Moderate: seepage slope	Severe: piping	Moderate: slow refill deep to water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
899: Harps-----	60	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: rooting depth wetness	Limitation: wetness	Limitation: rooting depth wetness
Okoboji-----	30	Slight	Severe: ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
920B: Clarion-----	50	Moderate: seepage slope	Severe: piping	Moderate: slow refill deep to water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
927: Harps-----	40	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: rooting depth wetness	Limitation: wetness	Limitation: rooting depth wetness
Seaforth-----	30	Moderate: seepage	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
954C2: Ves-----	65	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
956: Canisteo-----	65	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
960D2: Storden-----	65	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
960F: Storden-----	70	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
978: Cordova-----	60	Moderate: seepage	Severe: wetness	Severe: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
Rolfe-----	30	Moderate: seepage	Severe: ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: erodes easily percs slowly ponding	Limitation: erodes easily ponding	Limitation: erodes easily percs slowly wetness
999C2: Storden-----	35	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Ves-----	35	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
1030: Pits-----	45	---	---	---	---	---	---	---
Udipsamments-----	45	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
1080: Glencoe-----	30	Moderate: seepage	Severe: excess humus hard to pack ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
Klossner-----	30	Severe: seepage	Severe: piping ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
Okoboji-----	30	Slight	Severe: ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: erodes easily ponding	Limitation: erodes easily wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
1100: Nicollet-----	85	Moderate: seepage	Moderate: wetness	Moderate: slow refill deep to water	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
1101: Webster-----	90	Moderate: seepage	Severe: piping wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
1159B: Strout-----	70	Moderate: slope	Moderate: hard to pack wetness	Severe: no water	Limitation: percs slowly slope	Limitation: slope slow intake wetness	Limitation: erodes easily wetness	Limitation: erodes easily rooting depth
1162A: Kandiyohi-----	85	Slight	Severe: hard to pack	Severe: no water	Limitation: frost action percs slowly	Limitation: slow intake wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly
1169: Corvuso-----	60	Slight	Severe: hard to pack wetness	Severe: no water	Limitation: frost action percs slowly	Limitation: percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily rooting depth wetness
Lura-----	30	Slight	Severe: excess humus hard to pack ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: percs slowly slow intake ponding	Limitation: percs slowly ponding	Limitation: percs slowly wetness
1193: Cosmos-----	85	Slight	Severe: wetness	Severe: no water	Limitation: frost action percs slowly	Limitation: percs slowly slow intake wetness	Limitation: percs slowly wetness	Limitation: percs slowly rooting depth wetness
1205: Leen-----	60	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Okoboji-----	30	Slight	Severe: ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
1242F: Swanlake-----	50	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Terril-----	40	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
1261B: Bechyn-----	85	Severe: depth to rock	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope depth to rock	Limitation: depth to rock	Limitation: depth to rock
1262: Seaforth-----	85	Moderate: seepage	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
1267: Cedarrock-----	85	Moderate: depth to rock	Severe: wetness	Severe: no water	Limitation: flooding frost action depth to rock	Limitation: wetness depth to rock	Limitation: wetness depth to rock	Limitation: wetness depth to rock
1268: Hanlon-----	85	Severe: seepage	Severe: piping	Severe: cutbanks cave	Limitation: deep to water	Favorable	Favorable	Favorable
1269: Lowlein-----	85	Severe: seepage	Severe: piping	Severe: no water	Favorable	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily
1270D: Bechyn-----	65	Severe: slope depth to rock	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope depth to rock	Limitation: slope depth to rock	Limitation: slope depth to rock
1285: Chetomba-----	85	Moderate: seepage	Severe: piping wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
1286: Prinsburg-----	85	Moderate: seepage	Severe: piping wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
1287: Calco-----	85	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
1355B: Amiret-----	70	Moderate: seepage slope	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
1356: Water-----	100	---	---	---	---	---	---	---

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
1369A: Crooksford-----	90	Moderate: seepage	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily
1369B: Crooksford-----	85	Moderate: seepage slope	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: frost action slope	Limitation: slope wetness	Limitation: erodes easily wetness	Limitation: erodes easily
1370B: Amiret-----	85	Moderate: seepage slope	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
1371B: Crooksford-----	60	Moderate: seepage slope	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: frost action slope	Limitation: slope wetness	Limitation: erodes easily wetness	Limitation: erodes easily
Swanlake-----	30	Moderate: seepage slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
1373C: Omsrud-----	45	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Storden-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
1374: Havelock-----	85	Severe: seepage	Severe: wetness	Moderate: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
1375D: Storden-----	60	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Ves-----	30	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
1376C: Omsrud-----	50	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Storden-----	40	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
1382: Louris-----	85	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily
1386B: Amiret-----	40	Moderate: seepage slope	Moderate: piping wetness	Moderate: slow refill deep to water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
Swanlake-----	30	Moderate: seepage slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
1388B: Terril-----	90	Moderate: seepage slope	Severe: piping	Moderate: slow refill deep to water	Limitation: deep to water	Limitation: slope	Favorable	Favorable
1389: Havelock-----	85	Severe: seepage	Severe: wetness	Moderate: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
1390: Leen-----	85	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
1392B: Grogan-----	90	Severe: seepage	Severe: piping	Severe: cutbanks cave	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
1802: Calcousta-----	50	Moderate: seepage	Severe: piping ponding	Moderate: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: erodes easily ponding	Limitation: erodes easily wetness
Okoboji-----	40	Slight	Severe: ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
1833: Coland-----	85	Severe: seepage	Severe: wetness	Moderate: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
1834: Coland-----	85	Severe: seepage	Severe: wetness	Moderate: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
1845A: Estherville-----	90	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: droughty	Limitation: too sandy	Limitation: droughty
1845B: Estherville-----	90	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: too sandy	Limitation: droughty
1900: Okoboji-----	70	Slight	Severe: ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
1917: Nishna-----	85	Slight	Severe: ponding	Severe: slow refill	Limitation: flooding percs slowly ponding	Limitation: percs slowly ponding	Limitation: erodes easily percs slowly ponding	Limitation: erodes easily percs slowly wetness
1958: Danube-----	85	Severe: seepage	Severe: seepage piping wetness	Severe: slow refill cutbanks cave	Limitation: frost action cutbanks cave	Limitation: slow intake wetness	Limitation: erodes easily too sandy wetness	Limitation: erodes easily wetness
1999: Minneiska-----	55	Severe: seepage	Severe: piping	Severe: cutbanks cave	Limitation: flooding cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Favorable
Rushriver-----	35	Severe: seepage	Severe: piping wetness	Moderate: cutbanks cave	Limitation: flooding frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
W: Water-----	100	---	---	---	---	---	---	---

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)